


All rights are strictly reserved. Reproduction or disclosure to third parties in any form whatever is not permitted without written authorization from the proprietor. A violation is punishable.



**Klemi Contact**  
*The connectables*

**FUSE & FUSEHOLDER**

300.000



DIN 72581/1



100 pz. - 1000 pz. - 2000 pz.

<b>Body</b> Corpo	PA66	<b>Contacts material</b> Materiale contatti	Zinc Zinco
<b>Voltage</b> Tensione	36 V		

**TIME CURRENT / TEMPI DI FUSIONE**

CODE	I. RATING I. NOM	VOLTAGE DROP CAPACITÀ DI ROTTURA	COLOR COLORE
300.024	5 A	100 mV	YELLOW / GIALLO
300.026	8 A	100 mV	NATURAL / BIANCO
300.030	16 A	100 mV	RED / ROSSO
300.032	25 A	100 mV	BLUE / BLU

All Pictures shown are for illustration purpose only. Specifications are subject to change without notice

Le immagini sono inserite a scopo illustrativo. I prodotti possono subire modifiche.



ELECTRONIC  
ELECTROMECHANICAL  
COMPONENTS  
PARTNER & DEALER



Via Monferrato, 43  
20098 San Giuliano Milanese  
I T A L Y

T. +39 02 55.60.61.01  
F. +39 02 55.60.71.43

[www.klemi-contact.com](http://www.klemi-contact.com)